CLAIMS

Please amend claims 26-28, as follows:

1. [Previously Presented] A method for monitoring multiple online resources in different formats, the method comprising the steps of:

identifying an online resource to monitor, the online resource being stored in a first format;

converting the online resource to a strict formatted file; identifying relevant data in the strict formatted file using an analytic parser; and determining whether the identified relevant data has been altered.

- 2. [Previously Presented] The method of claim 1 wherein the online resource is a HyperText Markup Language application.
- 3. [Previously Presented] The method of claim 1 wherein the online resource is a non-HyperText Markup Language application.
- 4. [Previously Presented] The method of claim 3 further comprising the step of converting the online resource to a HyperText Markup Language application.
- 5. [Previously Presented] The method of claim 1 wherein an Extensible Style Sheet Transform is used to convert the online resource to the strict formatted file.

PA 2364US

- 6. [Previously Presented] The method of claim 1 wherein the strict formatted file is an Extensible Markup Language application.
- 7. [Previously Presented] The method of claim 1 wherein the strict formatted file is an Extensible HyperText Markup Language application.
- 8. [Previously Presented] The method of claim 1 wherein the strict formatted file is a document object model of the online resource.
- 9. [Previously Presented] The method of claim 1 wherein the analytic parser is a script that operates on the strict formatted file.
- 10. [Previously Presented] The method of claim 9 wherein the script identifies relevant data via markers within the strict formatted file.
- 11. [Previously Presented] The method of claim 1 wherein an altered file is determined by comparing the identified relevant data to a most recent archived copy of the identified relevant data.
- 12. [Previously Presented] The method of claim 11 further comprising the step of storing the identified relevant data within a database.

PA 2364US 3

- 13. [Previously Presented] The method of claim 1 further comprising the step of automatically notifying a user when the identified relevant data has changed.
- 14. [Previously Presented] The method of claim 1 further comprising the step of automatically updating a database.
- 15. [Previously Presented] A system for monitoring multiple files in disparate formats, the system comprising:
- a file type identifier module adapted to identify the format of a particular online resource;
- a format conversion module adapted to convert the online resource to a strict formatted file;
- an analytic parser adapted to identify relevant data within the strict formatted file; and
- a resource filter adapted to determine whether the identified relevant data has 'been altered.
- 16. [Previously Presented] The system of claim 15 wherein the online resource is a HyperText Markup Language application.
- 17. [Previously Presented] The system of claim 15 wherein the online resource is a non-HyperText Markup Language application.

- 18. [Previously Presented] The system of claim 15 further comprising an HTML conversion module adapted to convert the online resource to a HyperText Markup Language application.
- 19. [Previously Presented] The system of claim 15 wherein an Extensible Style Sheet Transform is used to convert the online resource to the strict formatted file.
- 20. [Previously Presented] The system of claim 15 wherein the strict formatted file is an Extensible Markup Language application.
- 21. [Previously Presented] The system of claim 15 wherein the strict formatted file is an Extensible HyperText Markup Language application.
- 22. [Previously Presented] The system of claim 15 wherein the strict formatted file is a document object model of the online resource.
- 23. [Previously Presented] The system of claim 15 wherein the analytic parser is a script that operates on the strict formatted file.
- 24. [Previously Presented] The system of claim 23 wherein the script identifies relevant data via markers within the strict formatted file.

- 25. [Previously Presented] The system of claim 15 wherein an altered file is determined by comparing the identified relevant data to a most recent archived copy of the identified relevant data.
- 26. [Currently Amended] The <u>system[method]</u> of claim <u>15[14]</u> wherein the identified relevant data is stored within a database.
- 27. [Currently Amended] The system of claim <u>15</u>[14] further comprising a monitoring module adapted to automatically notify a user when the identified relevant data has changed.
- 28. [Currently Amended] The system of claim <u>15</u>[14] further comprising a monitoring module adapted to automatically update a database when the identified relevant data has changed.
- 29. [Previously Presented] A method for monitoring multiple online resources in different formats, the method comprising the steps of:

identifying an online resource to monitor, the online resource being stored in a first format;

converting the online resource to a strict formatted file; identifying relevant data in the strict formatted file using analytic parser; and remotely updating the relevant data using script.

30. [Previously Presented] A system for monitoring multiple files in disparate formats, the system comprising:

a file type identifier module adapted to identify the format of a particular online resource;

a format conversion module adapted to convert the online resource to a strict formatted file;

an analytic parser adapted to identify relevant data within the strict formatted file; and

a resource updater to update the identified relevant data.